

IN THE CLAIMS

1. (Currently Amended) An isolated nucleic acid molecule selected from the group consisting of:

a) a nucleic acid molecule comprising a nucleotide sequence which is at least 90% identical to the nucleotide sequence of SEQ ID NO:1, or SEQ ID NO:3, wherein said nucleic acid molecule encodes a polypeptide having at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane;

b) a nucleic acid molecule which encodes a polypeptide comprising an amino acid sequence with at least 90% identity to the amino acid sequence of SEQ ID NO:2, wherein said polypeptide has at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane;

c) a nucleic acid molecule which encodes a fragment of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, wherein the fragment comprises at least 285 contiguous amino acids of SEQ ID NO: 2, wherein said at least 285 contiguous amino acids have at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane; and

d) a nucleic acid molecule which encodes a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, wherein the nucleic acid molecule hybridizes to a nucleic acid molecule comprising SEQ ID NO: 1, 3, or a complement thereof, under stringent conditions, wherein said nucleic acid molecule encodes a polypeptide having at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane; and

e) a nucleic acid molecule which encodes the glycosyltransferase domain of 33945 (amino acids 139 to 322 of SEQ ID NO:2), wherein the glycosyltransferase domain has the ability to glycosylate a target molecule.

2. (Original) The isolated nucleic acid molecule of claim 1, which is selected from the group consisting of:

- a) a nucleic acid comprising the nucleotide sequence of SEQ ID NO: 1, SEQ ID NO:3; and
 - b) a nucleic acid molecule which encodes a polypeptide comprising the amino acid sequence of SEQ ID NO:2.
3. (Original) The nucleic acid molecule of claim 1 further comprising vector nucleic acid sequences.
 4. (Original) The nucleic acid molecule of claim 1 further comprising nucleic acid sequences encoding a heterologous polypeptide.
 5. (Original) A host cell which contains the nucleic acid molecule of claim 1:
 6. (Original) The host cell of claim 5 which is a mammalian host cell.
 7. (Original) A non-human mammalian host cell containing the nucleic acid molecule of claim 1.
 8. -11. (Withdrawn)
 12. (Currently Amended) A method for producing a polypeptide selected from the group consisting of:
 - a) a polypeptide comprising an amino acid sequence with at least 90% identity to the amino acid sequence of SEQ ID NO:2, wherein said polypeptide has at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane;
 - b) a polypeptide comprising a fragment of the amino acid sequence of SEQ ID NO:2, wherein the fragment comprises at least 285 contiguous amino acids of SEQ ID NO:2, wherein said at least 285 contiguous amino acids have at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane; and

c) a polypeptide comprising a naturally occurring allelic variant of a polypeptide comprising the amino acid sequence of SEQ ID NO:2, wherein the polypeptide is encoded by a nucleic acid molecule which hybridizes to a nucleic acid molecule comprising SEQ ID NO:1, SEQ ID NO:3, or a complement thereof under stringent conditions, wherein said polypeptide has at least one activity selected from the group consisting of the ability to glycosylate a target molecule, the ability to bind to a simple sugar and the ability to attach to a membrane; and

d) a polypeptide comprising the glycosyltransferase domain of 33945 (amino acids 139 to 322 of SEQ ID NO:2), wherein the glycosyltransferase domain has the ability to glycosylate a target molecule;

comprising culturing the host cell of claim 5 under conditions in which the nucleic acid molecule is expressed.

13. – 17. (Withdrawn)

18. (Original) A kit comprising a compound which selectively hybridizes to a nucleic acid molecule of claim 1 and instructions for use.

19. – 24. (Withdrawn)

25. (New) A host cell which expresses the nucleic acid molecule of claim 1.

26. (New) The host cell of claim 25 which is a mammalian host cell.

27. (New) An isolated nucleic acid molecule, consisting of a nucleic acid sequence selected from the group consisting of:

- a) SEQ ID NO: 1;
- b) SEQ ID NO:3; and
- c) a nucleic acid molecule which encodes a polypeptide having an amino acid sequence consisting of SEQ ID NO:2